

Cross-implementation configuration and provisioning management

[draft-toorop-dnsop-dns-catalog-zones](#)

Peter van Dijk

Libor Peltan

Ondřej Surý

Willem Toorop

Leo Vandewoestijne

[draft-toorop-dnsop-dns-zone-provisioning-yang](#)

Pieter Lexis

Ladislav Lhotka

Petr Špaček

Ondřej Surý

Willem Toorop

Genesis

- /me works for NLnet Labs
- Meet with operators at conferences
- Other Open Source DNS Software do the same
- A recurring topic:
 - Standard Configuration & Provisioning Management

Genesis

- Afilias one of those operators
 - Key is cross-implementation cooperation
 - Preferably standardized approaches and solutions
- Afilias DNS Summit
 - Friday prior to IETF105 in Montreal
 - Attendees from NLnet Labs, ISC and CZ.NIC
 - One of the topics:
 - Standard Configuration & Provisioning Management


Standard Configuration & Provisioning Management

- Two candidates:

Catalog zones	NETCONF / YANG
+ Provisioning infrastructure native to DNS	– New infrastructure at least for DNS implementers
– No feedback channel	+ Feedback on status
+ Implementations exist (ISC & PDNS) CZ.NIC is working on one	+ CZ.NIC & PDNS are working on it
+ (expired) draft exists (from ISC) – draft lacks actual to configure properties	– No draft yet for zone provisioning


Standard Configuration & Provisioning Management

- Catalog zones lowest barrier to a working solution
- A new draft with minimal to configure properties



Standard Configuration & Provisioning Management

- Catalog zones lowest barrier to a working solution
- A new draft with minimal to configure properties defined in YANG



Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- Presentation from Leo Vandewoestijne at FOSDEM2020
- Picked up from draft-muks-dnsop-dns-catalog-zones
- Authors from FOSDNSS implementations +Leo
 - Peter van Dijk
 - Libor Peltan
 - Ondřej Surý
 - Willem Toorop
 - Leo Vandewoestijne
 - PowerDNS
 - CZ.NIC
 - ISC
 - NLnet Labs

Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- Abstract
 - “a method for automatic DNS zone provisioning by storing and transferring the catalog of zones to be provisioned as one or more regular DNS zones.”

Catalog zones

draft-toorop-dnsop-dns-catalog-zones

```
$ORIGIN catzone.
```

```
@ IN SOA . . 1552507036 86400 14400 86400 0
```


```
@ IN NS invalid.
```

```
version IN TXT "2"
```

```
<unique-id-1>.zones IN PTR example.com.
```

```
<unique-id-2>.zones IN PTR example.net.
```


```
<unique-id-3>.zones IN PTR example.org.
```



Catalog zones

draft-toorop-dnsop-dns-catalog-zones


- Multiple catalog zones



Catalog zones

draft-toorop-dnsop-dns-catalog-zones


- Multiple catalog zones
- With different primary/secondary relationships
- Catalog zone of catalog zones



Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- Changes since draft-muks-dnsop-dns-catalog-zones
 - Just the catalog, **no properties**



Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- Changes since draft-muks-dnsop-dns-catalog-zones
 - Just the catalog, **no properties**
 - Changing unique id resets zone state

```
$ORIGIN catzone.
```

```
@          IN  SOA . . 1552507036 86400 14400 86400 0
@          IN  NS  invalid.
version    IN  TXT  "2"
<unique-id-1>.zones IN PTR example.com.
<unique-id-2>.zones IN PTR example.net.
<unique-id-3>.zones IN PTR example.org.
```

Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- Idea from Leo

- Make the list enumerable

- \$ORIGIN catzone.

```
@           IN  SOA  . . 1552507036 86400 14400 86400 0
@           IN  NS   invalid.
version     IN  TXT  "2"
$ORIGIN zones.catzone.
@           IN  HINFO "0"           <unique-id-1>
<unique-id-1> IN  PTR   example.com.
@           IN  HINFO "1552507036"       <unique-id-2>
<unique-id-2> IN  PTR   example.net.
@           IN  HINFO "1552501234"       <unique-id-3>
<unique-id-3> IN  PTR   example.org.
@           IN  HINFO "1552505432"       @
```

Catalog zones

draft-toorop-dnsop-dns-catalog-zones

- We'd like to discuss and develop this further on list

Zone provisioning definitions in YANG


draft-toorop-dnsop-dns-zone-provisioning-yang

- YANG : A Data Modeling Language for the Network Configuration Protocol (NETCONF) RFC6020, RFC7950
- IANA maintains a registry for IETF yang models:
<https://www.iana.org/assignments/yang-parameters/yang-parameters.xhtml>
- Abstract:
 - “A data model for configuring DNS Zone provisioning. This data model includes definitions for configuration of primary and secondary relationships.”

Zone provisioning definitions in YANG

draft-toorop-dnsop-dns-zone-provisioning-yang

- Gathered authors:
 - Pieter Lexis – PowerDNS
 - Ladislav Lhotka – CZ.NIC
 - Petr Špaček – CZ.NIC
 - Ondřej Surý – ISC
 - Willem Toorop – NLnet Labs
- Quick translation of our sketch to YANG.



Zone provisioning definitions in YANG

draft-toorop-dnsop-dns-zone-provisioning-yang

- From discussions with Pieter Lexis
 - type inet:domain-name could use re-evaluation
 - type dns:domain-name
 - introduce new types inheriting from domain-name:
 - type dns:host-name
 - Make translations for IANA parameters to YANG
 - type dns:tsig-algorithm

Zone provisioning definitions in YANG

draft-toorop-dnsop-dns-zone-provisioning-yang

- Maybe review initial model internally first...

after that

- Is DNSOP a good place to develop these models?